

legislation

### 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier:**  024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR

### Other means of identification: UFI:

X2Q0-Y0PQ-W009-TY3W

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Painting/varnishing/protection of masonry, iron and wood surfaces.

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Details of the supplier of the safety data sheet:

Productos JAFEP, S.L. Carretera de Barrax, s/n 02630 La Roda - Albacete - Spain Phone: +34 967 44 05 96 - Fax: +34 967 44 26 12 jafep@jafep.com www.jafep.com

1.4 Emergency telephone number: +34 967 44 05 96 (9:00-14:00 ; 16:00-20:00)

### SECTION 2: HAZARDS IDENTIFICATION \*\*

#### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:





### Hazard statements:

Harmful if swallowed. Causes serious eye irritation. Causes skin irritation.

#### **Precautionary statements:**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children. Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/protective footwear.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container according to the separated collection system used in your municipality.

### Substances that contribute to the classification

1-butylpyrrolidin-2-one

UFI: X2Q0-Y0PO-W009-TY3W

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

\*\* Changes with regards to the previous version



### 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued)

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Miscellaneous products

#### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	3470-98-2	1-butylpyrrolidin-2-c	one <sup>(1)</sup>	Self-classified	
EC: Index: REACH:	222-437-8 Non-applicable 01-2120062728-48- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	$\langle \rangle$	9,9 - <19 %
CAS: 121-44-8 EC: 204-469-4 Index: 612-004-00-5 REACH: 01-2119475467-26- XXXX		triethylamine <sup>(1)</sup>		Self-classified	
		Regulation 1272/2008	Acute Tox. 3: H311+H331; Acute Tox. 4: H302; Eye Dam. 1: H318; Flam. Liq. 2: H225; Skin Corr. 1A: H314; STOT SE 3: H335 - Danger		0,29 - <0,9 %
CAS:	112-34-5	2-(2-butoxyethoxy)	ethanol <sup>(2)</sup>	ATP CLP00	
EC: 203-961-6 Index: 603-096-00-8 REACH: 01-2119475104-44- XXXX		Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	٩	<0,09 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 <sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### Other information:

Identification	Specific concentration limit
triethylamine CAS: 121-44-8 EC: 204-469-4	% (w/w) >=1: STOT SE 3 - H335

\*\* Changes with regards to the previous version

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.





### 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR

### SECTION 4: FIRST AID MEASURES (continued)

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

### For emergency responders:

See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

legislation



024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR

### SECTION 7: HANDLING AND STORAGE (continued)

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °C

Maximum Temp.: 30 °

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification			Occupational exposure limits		
triethylamine			IOELV (8h)	2 ppm	8,4 mg/m <sup>3</sup>	
CAS: 121-44-8	EC: 204-469-4	Experts in decoration*	IOELV (STEL)	3 ppm	12,6 mg/m <sup>3</sup>	
2-(2-butoxyethoxy	y)ethanol		IOELV (8h)	10 ppm	67,5 mg/m <sup>3</sup>	
CAS: 112-34-5	EC: 203-961-6		IOELV (STEL)	15 ppm	101,2 mg/m <sup>3</sup>	

### DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
1-butylpyrrolidin-2-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 3470-98-2	Dermal	Non-applicable	Non-applicable	10 mg/kg	Non-applicable
EC: 222-437-8	Inhalation	Non-applicable	Non-applicable	24,1 mg/m <sup>3</sup>	Non-applicable
triethylamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 121-44-8	Dermal	Non-applicable	Non-applicable	12,1 mg/kg	Non-applicable
EC: 204-469-4	Inhalation	12,6 mg/m <sup>3</sup>	12,6 mg/m <sup>3</sup>	8,4 mg/m <sup>3</sup>	8,4 mg/m <sup>3</sup>
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	101,2 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>

### **DNEL (General population):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
1-butylpyrrolidin-2-one	Oral	4 mg/kg	Non-applicable	4 mg/kg	Non-applicable
CAS: 3470-98-2	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 222-437-8	Inhalation	Non-applicable	Non-applicable	4,29 mg/m <sup>3</sup>	Non-applicable
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	60,7 mg/m <sup>3</sup>	40,5 mg/m <sup>3</sup>	40,5 mg/m <sup>3</sup>





## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
1-butylpyrrolidin-2-one	STP	30,62 mg/L	Fresh water	4 mg/L
CAS: 3470-98-2	Soil	1,68 mg/kg	Marine water	0,4 mg/L
EC: 222-437-8	Intermittent	1 mg/L	Sediment (Fresh water)	20,168 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,017 mg/kg
triethylamine	STP	100 mg/L	Fresh water	0,11 mg/L
CAS: 121-44-8	Soil	0,25 mg/kg	Marine water	0,011 mg/L
EC: 204-469-4	Intermittent	0,08 mg/L	Sediment (Fresh water)	1,575 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,158 mg/kg
2-(2-butoxyethoxy)ethanol	STP	200 mg/L	Fresh water	1,1 mg/L
CAS: 112-34-5	Soil	0,32 mg/kg	Marine water	0,11 mg/L
EC: 203-961-6	Intermittent	11 mg/L	Sediment (Fresh water)	4,4 mg/kg
	Oral	0,056 g/kg	Sediment (Marine water)	0,44 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks	
Mandatory hand	Protective gloves against minor risks	CATI	decoration*	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018	

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according t the manufacturer's instructions. Use if there is risk of splashing.
Body protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATI	EN ISO 20347:2012	Replace before any evidence of deterioration. F periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulatio in EN ISO 20345:2012 y EN 13832-1:2007



### 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR



#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) mergency meas mergency measur 0+ ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations **Environmental exposure controls:** In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 11,91 % weight 124,73 kg/m<sup>3</sup> (124,73 g/L) V.O.C. density at 20 °C: Average carbon number: 6 Average molecular weight: 138,93 g/mol With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics: V.O.C. density at 20 °C: 124,73 kg/m<sup>3</sup> (124,73 g/L) EU limit for the product (Cat. A.E): 130 g/L (2010) Components: Non-applicable

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemic	al properties:
	For complete information see the product datas	sheet.
	Appearance:	In the second
	Physical state at 20 °C:	Liquid
	Appearance:	Viscous
	Colour:	Colourless
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	118 °C
	Vapour pressure at 20 °C:	2266 Pa
	Vapour pressure at 50 °C:	11895,9 Pa (11,9 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	≈1047,2 kg/m³
	Relative density at 20 °C:	≈1,047
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	7 - 9
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water-soluble
	*Not relevant due to the nature of the product, not provid	ling information property of its hazards.
	-	CONTINUED ON NEXT PAGE -



# 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	204 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable	Non-applicable *
	components: Other safety characteristics:	
	Surface tension at 20 °C:	Non applicable *
	Refraction index:	Non-applicable *
		Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property or its hazards.

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
Not applicable	Not applicable	Precaution	Precaution	Not applicable			

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### **10.6** Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

### **11.1** Information on hazard classes as defined in Regulation (EC) No 1272/2008:

\*\* Changes with regards to the previous version



### SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
triethylamine	LD50 oral	730 mg/kg	Rat
CAS: 121-44-8	LD50 dermal	580 mg/kg	Rabbit
EC: 204-469-4	LC50 inhalation	3 mg/L (ATEi)	

\*\* Changes with regards to the previous version



### 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR



### SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

	Identification	Acute toxicity		Genus
	1-butylpyrrolidin-2-one	LD50 oral	500 mg/kg (ATEi)	
	CAS: 3470-98-2	LD50 dermal	Non-applicable	
	EC: 222-437-8	LC50 inhalation	Non-applicable	
11.2	Information on other hazards:			
	Endocrine disrupting properties			
	Endocrine-disrupting properties: The product fails to meet the criteria.			

### Other information

Non-applicable

\*\* Changes with regards to the previous version

### SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

Identification			Concentration	Species	Genu
triethylamine		LC50	43,7 mg/L (96 h)	Pimephales prome	elas Fisł
CAS: 121-44-8		EC50	200 mg/L (48 h)	Daphnia magna	a Crustad
EC: 204-469-4		EC50	Non-applicable		
2-(2-butoxyethoxy)ethanol		LC50	1300 mg/L (96 h)	Lepomis macrochi	irus Fisł
CAS: 112-34-5		EC50	2850 mg/L (24 h)	Daphnia magna	a Crustad
EC: 203-961-6		EC50	53 mg/L (192 h)	Microcystis aerugir	nosa Alga
Chronic toxicity:		1	TP M		
Identification			Concentration	Species	Genu
-	-	NOEC	Concentration Non-applicable	Species	Genu
Identification	Lapert	NOEC NOEC		Species Daphnia magna	
Identification	- topos		Non-applicable		
Identification triethylamine CAS: 121-44-8 EC: 204-469-4	Experie	NOEC	Non-applicable		a Crustad

BOD5/COD

Non-applicable

Non-applicable

Period

% Biodegradable

\*\* Changes with regards to the previous version

CAS: 121-44-8

EC: 204-469-4

28 days

85 %



## 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR

SECTION 12: ECOLOGICAL INFORMATION ** (	continued)	\$
	continucu	,

Identification	D	egradability	Biode	egradability
2-(2-butoxyethoxy)ethanol	BOD5	0,25 g O2/g	Concentration	100 mg/L
CAS: 112-34-5	COD	2,08 g O2/g	Period	28 days
EC: 203-961-6	BOD5/COD	0,12	% Biodegradable	92 %
Bioaccumulative notential:				

### 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
triethylamine	BCF	5	
CAS: 121-44-8	Pow Log	1.45	
EC: 204-469-4	Potential	Low	
2-(2-butoxyethoxy)ethanol	BCF	0.46	
CAS: 112-34-5	Pow Log	0.56	
EC: 203-961-6	Potential	Low	

### 12.4 Mobility in soil:

	Identification	Absorption/desorption		Volatility			
	triethylamine	Кос	145	Henry	Non-applicable		
	CAS: 121-44-8	Conclusion	Very High	Dry soil	Non-applicable		
	EC: 204-469-4	Surface tension	2,024E-2 N/m (25 °C)	Moist soil	Non-applicable		
	2-(2-butoxyethoxy)ethanol	Кос	48	Henry	7,2E-9 Pa·m³/mol		
	CAS: 112-34-5	Conclusion	Very High	Dry soil	No		
	EC: 203-961-6	Surface tension	3,395E-2 N/m (25 °C)	Moist soil	No		
2.5	Results of PBT and vPvB assessment:						
	Product fails to meet PBT/vPvB criteria						
2.6	Endocrine disrupting properties:						
	Endocrine-disrupting properties: The product fails to meet the criteria.						

### 12.7 Other adverse effects:

Not described

\*\* Changes with regards to the previous version

### SECTION 13: DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods:** 

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous





### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION \*\*

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

\*\* Changes with regards to the previous version





# SECTION 16: OTHER INFORMATION \*\* (continued)

ECTION 16: OTHER INFORMATION ** (continued)	
Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: COMMISSION REGULATION (EU) 2020/878 COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): · New declared substances	
2-(2-butoxyethoxy)ethanol (112-34-5) triethylamine (121-44-8) 1-butylpyrrolidin-2-one (3470-98-2) • Removed substances	
N-methyl-2-pyrrolidone (872-50-4) Dipropylene Glycol Methyl Ether (34590-94-8) Troysol Lac 1,2-benzisothiazol-3(2H)-one (2634-33-5)	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (5395-50-6) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): • Pictograms	
<ul> <li>Hazard statements</li> <li>Precautionary statements</li> <li>Supplementary information</li> <li>Texts of the legislative phrases mentioned in section 2:</li> </ul>	
H315: Causes skin irritation. H302: Harmful if swallowed. H319: Causes serious eye irritation. Texts of the legislative phrases mentioned in section 3:	
The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the	
individual components which appear in section 3	
CLP Regulation (EC) No 1272/2008:	
Acute Tox. 3: H311+H331 - Toxic in contact with skin or if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation.	
Classification procedure:	
Skin Irrit. 2: Calculation method Acute Tox. 4: Calculation method Eye Irrit. 2: Calculation method	
Advice related to training:	
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. <b>Principal bibliographical sources:</b>	
http://echa.europa.eu	
http://eur-lex.europa.eu	
Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road	
IMDG: International maritime dangerous goods code IATA: International Air Transport Association	
ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand	
BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor	
LD50: Lethal Dose 50	
LC50: Lethal Concentration 50 EC50: Effective concentration 50	
LogPOW: Octanolwater partition coefficient	
Koc: Partition coefficient of organic carbon UFI: unique formula identifier	
IARC: International Agency for Research on Cancer	

\*\* Changes with regards to the previous version



# 024900 - BARNIZ AQUA POLIURETANO BRILLO Incoloro-Base TR



The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.