

1.1	Product identifier:	024943 - LASUR AQUA Roble					
•	Other means of identification:						
	Non-applicable						
.2	Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Varnish						
		ot specified in this section or in section 7.3					
1.3	Details of the supplier of the	•					
	Productos JAFEP, S.L. Carretera de Barrax, s/n 02630 La Roda - Albacete - Spa Phone: +34 967 44 05 96 - Fax jafep@jafep.com www.jafep.com						
L .4	Emergency telephone numb	er: +34 967 44 05 96 (9:00 - 14:00 ; 16:00-20:00)					
SEC	TION 2: HAZARDS IDENTIFI	CATION **					
2.1	Classification of the substance or mixture:						
	CLP Regulation (EC) No 127						
	Classification of this product ha	s been carried out in accordance with CLP Regulation (EC) No 1272/2008.					
	Aquatic Chronic 3: Hazardous to	the aquatic environment, long-term hazard, Category 3, H412					
2.2	Aquatic Chronic 3: Hazardous to Label elements:	o the aquatic environment, long-term hazard, Category 3, H412					
2.2		Pinturas					
2.2	Label elements: CLP Regulation (EC) No 127 Hazard statements:	2/2008:					
2.2	Label elements: CLP Regulation (EC) No 127	2/2008:					
2.2	Label elements: CLP Regulation (EC) No 127 Hazard statements: Harmful to aquatic life with long Precautionary statements:	2/2008: a lasting effects.					
2.2	Label elements: CLP Regulation (EC) No 127 Hazard statements: Harmful to aquatic life with long Precautionary statements: If medical advice is needed, har Keep out of reach of children. Avoid release to the environment	2/2008: a lasting effects. ve product container or label at hand. nt. ccording to the separated collection system used in your municipality.					
2.2	Label elements: CLP Regulation (EC) No 127 Hazard statements: Harmful to aquatic life with long Precautionary statements: If medical advice is needed, hav Keep out of reach of children. Avoid release to the environment Dispose of contents/container a Supplementary information Contains 1,2-benzisothiazol-3(2 reaction mass of 5-chloro-2-me	2/2008: a lasting effects. ve product container or label at hand. nt. ccording to the separated collection system used in your municipality.					

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

** Changes with regards to the previous version



legislation

024943 - LASUR AQUA Roble

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification		Chemical name/Classification	Concentratio			
AS: 55406-53-6	3-iodo-2-propynyl Bu	itylcarbamate ⁽¹⁾ ATP ATP06				
C: 259-627-5 ndex: 616-212-00-7 EACH: 01-2120762115- XXXX	D	Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	0,29 - <0,9 %			
AS: 64338-16-5	2,2,4,4-tetramethyl-	7-oxa-3,20-diazadispiro[5.1.11.2]-henicosan-21-one ⁽¹⁾ Self-classified				
C: 264-780-6 ndex: Non-applicable EACH: 01-2120737966- XXXX		Acute Tox. 4: H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; STOT RE 2: H373 - Danger	0,09 - <0,24 %			
AS: 2634-33-5	1,2-benzisothiazol-3	(2H)-one ⁽¹⁾ Self-classified				
C: 220-120-9 ndex: 613-088-00-6 EACH: 01-2120761540- XXXX		Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<0,09 %			
AS: 52-51-7	bronopol (INN) ⁽¹⁾	ATP ATP01				
EC: 200-143-0 ndex: 603-085-00-8 REACH: 01-2119980938-1 XXXX		Acute Tox. 4: H302+H312; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: () 🔅 🏠	<0,09 %			
AS: 2634-33-5	1,2-benzisothiazol-3	(2H)-one ⁽¹⁾ ATP CLP00				
C: 220-120-9 ndex: 613-088-00-6 EACH: 01-2120761540- XXXX		Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; 🔨 🚱 🏠 Skin Sens. 1: H317 - Danger	<0,09 %			
AS: 55965-84-9 C: Non-applicable	reaction mass of 5-ch 3-one (3:1) ⁽¹⁾	hloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- ATP ATP13				
ndex: 613-167-00-5 EACH: Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,09 %			
AS: 55965-84-9 C: Non-applicable		hloro-2-methyl-2H-isothiazol-3-one and <mark>2-methyl-2H-isothiazol-</mark> ATP ATP13				
C: Non-applicable ndex: 613-167-00-5 EACH: Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic				
AS: 108-31-6	maleic anhydride ⁽¹⁾	ATP ATP13				
C: 203-571-6 ndex: 607-096-00-9 EACH: 01-2119472428- XXXX		Acute Tox. 4: H302; Eye Dam. 1: H318; Resp. Sens. 1: H334; Skin Corr. 1B: H314; Skin Sens. 1A: H317; STOT RE 1: H372; EUH071 - Danger	<0,09 %			

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification	M-factor	
3-iodo-2-propynyl Buty	Icarbamate	Acute	10
CAS: 55406-53-6	EC: 259-627-5	Chronic	1
bronopol (INN)		Acute	10
CAS: 52-51-7	EC: 200-143-0	Chronic	1
reaction mass of 5-chlo	pro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	100
CAS: 55965-84-9	EC: Non-applicable	Chronic	100
reaction mass of 5-chlo	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		100
CAS: 55965-84-9	EC: Non-applicable	Chronic	100

Identification	Specific concentration limit
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens. 1 - H317
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens. 1 - H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1C - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,6: Eye Dam. 1 - H318 0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Specific concentration limit
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1C - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,6: Eye Dam. 1 - H318 0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317
maleic anhydride CAS: 108-31-6 EC: 203-571-6	% (w/w) >=0,001: Skin Sens. 1A - H317

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:



024943 - LASUR AQUA Roble

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
3-iodo-2-propynyl Butylcarbamate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 55406-53-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 259-627-5	Inhalation	0,07 mg/m ³	1,16 mg/m ³	0,023 mg/m ³	1,16 mg/m ³
2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]- henicosan-21-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64338-16-5	Dermal	Non-applicable	Non-applicable	1,88 mg/kg	Non-applicable
EC: 264-780-6	Inhalation	Non-applicable	Non-applicable	6,61 mg/m ³	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m ³	Non-applicable
bronopol (INN)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 52-51-7	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 200-143-0	Inhalation	Non-applicable	Non-applicable	3,5 mg/m ³	2,5 mg/m ³
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m ³	Non-applicable
maleic anhydride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-31-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 203-571-6	Inhalation	0,2 mg/m ³	0,2 mg/m ³	0,081 mg/m ³	0,081 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]- henicosan-21-one	Oral	Non-applicable	Non-applicable	0,94 mg/kg	Non-applicable
CAS: 64338-16-5	Dermal	Non-applicable	Non-applicable	0,94 mg/kg	Non-applicable
EC: 264-780-6	Inhalation	Non-applicable	Non-applicable	1,63 mg/m ³	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m ³	Non-applicable
bronopol (INN)	Oral	0,5 mg/kg	Non-applicable	0,18 mg/kg	Non-applicable
CAS: 52-51-7	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
EC: 200-143-0	Inhalation	Non-applicable	Non-applicable	0,6 mg/m ³	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m ³	Non-applicable

PNEC:

Identification				
3-iodo-2-propynyl Butylcarbamate	STP	0,44 mg/L	Fresh water	0,001 mg/L
CAS: 55406-53-6	Soil	0,005 mg/kg	Marine water	0 mg/L
EC: 259-627-5	Intermittent	0,001 mg/L	Sediment (Fresh water)	0,017 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,002 mg/kg
2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]- henicosan-21-one	STP	1,56 mg/L	Fresh water	0,000398 mg/L
CAS: 64338-16-5	Soil	221 mg/kg	Marine water	0,00004 mg/L
EC: 264-780-6	Intermittent	Non-applicable	Sediment (Fresh water)	1100 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	110 mg/kg



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg
bronopol (INN)	STP	0,43 mg/L	Fresh water	0,01 mg/L
CAS: 52-51-7	Soil	0,5 mg/kg	Marine water	0,001 mg/L
EC: 200-143-0	Intermittent	0,003 mg/L	Sediment (Fresh water)	0,041 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg
maleic anhydride	STP	44,6 mg/L	Fresh water	0,038 mg/L
CAS: 108-31-6	Soil	0,037 mg/kg	Marine water	0,004 mg/L
EC: 203-571-6	Intermittent	0,379 mg/L	Sediment (Fresh water)	0,296 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,03 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN 420:2004+A1:2010	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according the manufacturer's instructions. Use if there is risk of splashing.
Body protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. F periods of prolonged exposure to the product f professional/industrial users CE III is recommended, in accordance with the regulatic in EN ISO 6529:2013, EN ISO 6530:2005, EN I: 13688:2013, EN 464:1994.
	Anti-slip work shoes	CE	EN ISO 20347:2012	Replace before any evidence of deterioration. F periods of prolonged exposure to the product f professional/industrial users CE III is recommended, in accordance with the regulatic



024943 - LASUR AQUA Roble

SECTION 6. LAPOSOKE CO	NTROLS/PERSONAL PROTECTI	ON (continued)	
Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:201	1 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Environmental exposu	ire controls:		
	ommunity legislation for the protection act and its container. For additional ir ounds:		
With regard to Directive 2	2010/75/EU, this product has the foll	owing characteristics:	
V.O.C. (Supply):	0,95 % weight		
V.O.C. density at 20 G	PC: 10,15 kg/m ³ (10,15	g/L)	
Average carbon numb	per: 4		
Average molecular we	eight: 115,15 g/mol		
With regard to Directive 2	2004/42/EC, this product which is rea	dy to use has the following ch	aracteristics:
V.O.C. density at 20 G	PC: 10,15 kg/m ³ (10,15	g/L)	
EU limit for the produ	ct (Cat. A.E): 130 g/L (2010)		
Components:	Non-applicable	-	
SECTION 9: PHYSICAL AND	CHEMICAL PROPERTIES		
	physical and chemical properties	nturas	
	see the product datasheet.		
Appearance:			
Physical state at 20 °C:	Liquid		
Appearance:	Visco		
Colour:		octeristic	
Odour:		octeristic	
Odour threshold:	Non-	applicable *	
Volatility:			
Boiling point at atmosphe	eric pressure: 102 °	С	
Vapour pressure at 20 °C	1		
Vapour pressure at 50 °C		9,59 Pa (12,32 kPa)	
Evaporation rate at 20 °C		applicable *	
Product description:			
Density at 20 °C:	≈106	8,5 kg/m³	
Relative density at 20 °C			
Dynamic viscosity at 20 °		applicable *	
Kinematic viscosity at 20		applicable *	
Kinematic viscosity at 40		5 mm²/s	
Concentration:		applicable *	
pH:	7 - 9		
Vapour density at 20 °C:		applicable *	
Partition coefficient n-oct		applicable *	
Solubility in water at 20 °		applicable *	
Solubility properties:		r-soluble	
	Wate	Solubic	

- CONTINUED ON NEXT PAGE -

Version: 5 (Replaced 4)

Revised: 27/06/2022



SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)			
	Decomposition temperature:	Non-applicable *			
	Melting point/freezing point:	Non-applicable *			
	Flammability:				
	Flash Point:	Non Flammable (>60 °C)			
	Flammability (solid, gas):	Non-applicable *			
	Autoignition temperature:	371 °C			
	Lower flammability limit:	Non-applicable *			
	Upper flammability limit:	Non-applicable *			
	Particle characteristics:				
	Median equivalent diameter:	Non-applicable			
.2	Other information:				
	Information with regard to physical hazard classes:				
	Explosive properties:	Non-applicable *			
	Oxidising properties:	Non-applicable *			
	Corrosive to metals:	Non-applicable *			
	Heat of combustion:	Non-applicable *			
	Aerosols-total percentage (by mass) of flammable	Non-applicable *			
	components:				
	Other safety characteristics: Surface tension at 20 °C:	Non applicable *			
	Refraction index:	Non-applicable *			
		Non-applicable *			
	*Not relevant due to the nature of the product, not providing info	ormation property or its nazards.			
ECT	TON 10: STABILITY AND REACTIVITY				
0.1	Reactivity:	ts in decoration"			
		oduct is stable under recommended storage conditions. See section 7.			
0.2	Chemical stability:				

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible materials	1			
	Acida	Motor	Ovidicing motorials	Combustible motoriale	Othora

Acids	water	Oxidising materials	Compustible materials	Otners
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

** Changes with regards to the previous version

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Diiron trioxide (3); Carbon black (2B)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
3-iodo-2-propynyl Butylcarbamate	LD50 oral	1100 mg/kg	Rat
CAS: 55406-53-6	LD50 dermal	2100 mg/kg	Rabbit
EC: 259-627-5	LC50 inhalation	0,67 mg/L (4 h)	Rat



SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	A	cute toxicity	Genus
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
bronopol (INN)	LD50 oral	500 mg/kg	Rat
CAS: 52-51-7	LD50 dermal	1600 mg/kg	Rabbit
EC: 200-143-0	LC50 inhalation	Non-applicable	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
3-iodo-2-propynyl Butylcarbamate	LC50	0,07 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 55406-53-6	EC50	0,05 mg/L (48 h)	Daphnia magna	Crustacean
EC: 259-627-5	EC50	0,05 mg/L (72 h)	Scenedesmus subspicatus	Algae



024943 - LASUR AQUA Roble

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		Concentration	Species	Genus
2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]-henicosan- 21-one	LC50	>0.1 - 1 (96 h)		Fish
CAS: 64338-16-5	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 264-780-6	EC50	>0.1 - 1 (72 h)		Algae
1,2-benzisothiazol-3(2H)-one	LC50	2,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2634-33-5	EC50	3 mg/L (48 h)	Daphnia magna	Crustacean
EC: 220-120-9	EC50	0,067 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
bronopol (INN)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 52-51-7	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 200-143-0	EC50	>0.1 - 1 (72 h)		Algae
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	0,28 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 55965-84-9	EC50	0,16 mg/L (48 h)	Daphnia magna	Crustacean
EC: Non-applicable	EC50	0,018 mg/L (72 h)	Selenastrum capricornutum	Algae

Identification		Concentration	Species	Genus
3-iodo-2-propynyl Butylcarbamate	NOEC	0,0084 mg/L	Pimephales promelas	Fish
CAS: 55406-53-6 EC: 259-627-5	NOEC	0,0499 mg/L	Daphnia magna	Crustacean
bronopol (INN)	NOEC	21,5 mg/L	Oncorhynchus mykiss	Fish
CAS: 52-51-7 EC: 200-143-0	NOEC	0,27 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Identification	De	egradability	Biod	egradability
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %
bronopol (INN)	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 52-51-7	COD	Non-applicable	Period	28 days
EC: 200-143-0	BOD5/COD	Non-applicable	% Biodegradable	0 %



024943 - LASUR AQUA Roble

Identification	De	gradability	Bi	Biodegradability		
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L		
CAS: 2634-33-5	COD	Non-applicable	Period	28 days		
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %		
Bioaccumulative potential:						
	Identification		Bioac	cumulation potential		
3-iodo-2-propynyl Butylcarbamate			BCF	36		
CAS: 55406-53-6			Pow Log	2.4		
EC: 259-627-5			Potential	Moderate		
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one					
CAS: 2634-33-5	Pow Log	1.45				
EC: 220-120-9	EC: 220-120-9					
bronopol (INN)	BCF	0.6				
CAS: 52-51-7	Pow Log	-0.64				
EC: 200-143-0	Potential	Low				
1,2-benzisothiazol-3(2H)-one			BCF	2		
CAS: 2634-33-5			Pow Log	1.45		
EC: 220-120-9			Potential	Low		
1 Mobility in soil:	Solution	-				
Identification	Abso	orption/desorption		Volatility		
maleic anhydride	Кос	Non-applicable	Henry	Non-applicable		
CAS: 108-31-6	Conclusion	Non-applicable	Dry soil	Non-applicable		
EC: 203-571-6	Surface tension	1,673E-2 N/m (2 °C)	Moist soil	Non-applicable		
5 Results of PBT and vPvB assess	sment:	Form				
Product fails to meet PBT/vPvB crit						
5 Endocrine disrupting propertie						
Endocrine-disrupting properties: Th	ne product fails to meet the o	criteria.				
Other adverse effects:	Experts in decoration"					
Not described						

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:



024943 - LASUR AQUA Roble

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one (3:1), bronopol (INN), 1,2-benzisothiazol-3(2H)-one, 3-iodo-2-propynyl Butylcarbamate, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, 2-methylisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 3-iodo-2-propynyl Butylcarbamate (Product-type 6, 7, 8, 9, 10, 13) ; 1,2benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; bronopol (INN) (Product-type 2, 6, 11, 12, 22) ; 1,2-benzisothiazol-3 (2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) (Product-type 2, 4, 6, 11, 12, 13) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:


It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



024943 - LASUR AQUA Roble

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]-henicosan-21-one (64338-16-5)

1,2-benzisothiazol-3(2H)-one (2634-33-5)

bronopol (INN) (52-51-7)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) maleic anhydride (108-31-6)

CLP Regulation (ÉC) No 1272/2008 (SECTION 2, SECTION 16):

Hazard statements

· Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin. Acute Tox. 4: H332 - Harmful if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation). STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. STOT SE 3: H335 - May cause respiratory irritation. Classification procedure: Aquatic Chronic 3: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:



SECTION 16: OTHER INFORMATION ** (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer



** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.