

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 **Product identifier:** 071200 - TINTE CONCENTRADO UNIVERSAL NEGRO Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Pigment paste for colouring decorative paint Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: Productos JAFEP, S.L. Carretera de Barrax, s/n 02630 La Roda - Albacete - Spain Phone: +34 967 44 05 96 - Fax: +34 967 44 26 12 jafep@jafep.com www.jafep.com 1.4 Emergency telephone number: +34 967 44 05 96 (9:00 - 14:00 ; 16:00-20:00) SECTION 2: HAZARDS IDENTIFICATION ** 2.1 Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317 2.2 Label elements: CLP Regulation (EC) No 1272/2008: Warning Hazard statements: Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction. **Precautionary statements:** If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. IF ON SKIN: Wash with plenty of water. Dispose of contents/container according to the separated collection system used in your municipality. Supplementary information: Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).Substances that contribute to the classification 2-methylisothiazol-3(2H)-one 2.3 Other hazards: Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria. ** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

** Changes with regards to the previous version



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	68920-66-1	Alcohols, C16-18 and	l C18-unsatd., ethoxylated ⁽¹⁾	Self-classified	
EC: Index: REACH:	500-236-9 Non-applicable 01-2119489407-26- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Skin Irrit. 2: H315 - Warning	()	9,9 - <19 %
CAS:	2682-20-4	2-methylisothiazol-3	(2H)-one ⁽¹⁾	ATP ATP13	
EC: Index: REACH:	220-239-6 613-326-00-9 01-2120764690-50- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger		0,9 - <2,4 %
CAS:	2634-33-5	1,2-benzisothiazol-3	(2H)-one ⁽¹⁾	ATP CLP00	
EC: Index: REACH:		Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315 Skin Sens. 1: H317 - Danger	; (!) (?) (!)	<0,09 %	
CAS: EC:	55965-84-9 Non-applicable	reaction mass of 5-cl 3-one (3:1) ⁽¹⁾	hloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-	ATP ATP13	
Index: REACH:	613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger		<0,09 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

		Identification			M-factor
2-methylisothiazol-3(2	2H)-one			Acute	10
CAS: 2682-20-4	EC: 220-239-6			Chronic	1
reaction mass of 5-ch	loro-2-methyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazo	l-3-one (3:1)	Acute	100
CAS: 55965-84-9	EC: Non-applicable			Chronic	100
	Identification			Specific concentrat	tion limit
2-methylisothiazol-3(2 CAS: 2682-20-4 EC: 220-239-6	2H)-one		% (w/w) >=0,0015:	Skin Sens. 1A - H317	
1,2-benzisothiazol-3(2 CAS: 2634-33-5 EC: 220-120-9	2H)-one		% (w/w) >=0,05: Sk	kin Sens. 1 - H317	
reaction mass of 5-ch isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	loro-2-methyl-2H-isothiazo	I-3-one and 2-methyl-2H-	% (w/w) >=0,6: Eye 0,06<= % (w/w) <0	,6: Skin Irrit. 2 - H315	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 4: FIRST AID MEASURES (continued)

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.: 5 °C
 - Maximum Temp.: 30 °C
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Alcohols, C16-18 and C18-unsatd., ethoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 68920-66-1	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable	
EC: 500-236-9	Inhalation	Non-applicable	Non-applicable	294 mg/m ³	Non-applicable	
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 220-239-6	Inhalation	Non-applicable	0,043 mg/m ³	Non-applicable	0,021 mg/m ³	
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable	
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m ³	Non-applicable	





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

			Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
Alcohols, C16-18 and C18-unsatd., ethoxylated	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 68920-66-1	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-236-9	Inhalation	Non-applicable	Non-applicable	87 mg/m ³	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	0,053 mg/kg	Non-applicable	0,027 mg/kg	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0,043 mg/m ³	Non-applicable	0,021 mg/m ³
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m ³	Non-applicable

PNEC:

Identification				
Alcohols, C16-18 and C18-unsatd., ethoxylated	STP	10000 mg/L	Fresh water	0,007 mg/L
CAS: 68920-66-1	Soil	1 mg/kg	Marine water	0,001 mg/L
EC: 500-236-9	Intermittent	0,1 mg/L	Sediment (Fresh water)	22,79 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,28 mg/kg
2-methylisothiazol-3(2H)-one	STP	0,23 mg/L	Fresh water	0,00339 mg/L
CAS: 2682-20-4	Soil	0,047 mg/kg	Marine water	0,00339 mg/L
EC: 220-239-6	Intermittent	0,00339 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
I,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C S	Specific protection	n for the hands			

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Dickogyor	DDC	Labelling	CEN Standard	Domestra
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face	Panoramic glasses agai splash/projections.	nst CE CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
protection E Body protection				1
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. Fo periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007
F Additional emer	gency measures			
Emergency m	neasure	Standards	Emergency measu	ure Standards
Emergency s		ANSI Z358-1 1:2011, ISO 3864-4:2	011 Eyewash station	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 IS
Environmental ex	posure controls:			
In accordance with	the community legislat	ion for the protect	tion of the environment it i	s recommended to avoid environmental
		ner. For additional	information see subsection	1 7.1.D
Volatile organic o	compounds:			n 7.1.D
Volatile organic of With regard to Dire	compounds: active 2010/75/EU, this	product has the fo	information see subsection	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply)	compounds: ctive 2010/75/EU, this : 0	product has the fo ,9 % weight	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a	ctive 2010/75/EU, this : 0 at 20 °C: N	product has the fo ,9 % weight on-applicable		n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4	product has the fo ,9 % weight on-applicable	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4	product has the fo ,9 % weight on-applicable	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4 Ilar weight: 1	product has the fo ,9 % weight on-applicable 15,15 g/mol	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4	product has the fo ,9 % weight on-applicable 15,15 g/mol	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Direct V.O.C. (Supply) V.O.C. density a Average carbon Average molecu	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4 Ilar weight: 1	product has the fo ,9 % weight lon-applicable 1 15,15 g/mol ROPERTIES	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL PI	product has the fo ,9 % weight lon-applicable / // 15,15 g/mol ROPERTIES emical propertie	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Pl vasic physical and ch	product has the fo ,9 % weight lon-applicable / // 15,15 g/mol ROPERTIES emical propertie	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Direct V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance:	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the fo ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet.	pllowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet.	pllowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance:	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet.	pllowing characteristics: decoration® es: uid available	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the for ,9 % weight on-applicable in 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not	ollowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour:	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not	ellowing characteristics:	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold:	compounds: active 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL Plassic physical and ch nation see the product	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not	pollowing characteristics: decoration® es: uid available Black	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility:	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N number: 4 ular weight: 1 AND CHEMICAL PI masic physical and ch nation see the product °C:	product has the for ,9 % weight on-applicable in 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not Cha Nor	pllowing characteristics: decoration® es: uid available Black aracteristic n-applicable *	n 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atm	compounds: ctive 2010/75/EU, this ctive 2010/75/75/75/75/75/75/75/75/75/75/75/75/75/	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not Cha Nor 101	ellowing characteristics:	h 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility: Boiling point at atm Vapour pressure at	compounds: ctive 2010/75/EU, this number: 4 unumber: 4 ular weight: 1 ctive 2010/75/EU, this	product has the for ,9 % weight Ion-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not Cha Nor 101 234	ellowing characteristics: decoration® es: uid available Black aracteristic n-applicable * . °C 2 Pa	h 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atm Vapour pressure at	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N at ar weight: 1 . AND CHEMICAL PI asic physical and ch nation see the product o°C: o°C: sospheric pressure: 20 °C: 50 °C:	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not Cha Nor 101 234 123	ellowing characteristics:	h 7.1.D
Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu TION 9: PHYSICAL Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility: Boiling point at atm Vapour pressure at	compounds: ctive 2010/75/EU, this : 0 at 20 °C: N unmber: 4 ular weight: 1 . AND CHEMICAL PI vasic physical and ch nation see the product 0 °C: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C:	product has the for ,9 % weight on-applicable 15,15 g/mol ROPERTIES emical properties datasheet. Liqu Not Cha Nor 101 234 123	ellowing characteristics: decoration® es: uid available Black aracteristic n-applicable * . °C 2 Pa	h 7.1.D



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECT	TION 9: PHYSICAL AND CHEMICAL P	ROPERTIES	6 (continued)	
	Density at 20 ºC:		Non-applicable *	
	Relative density at 20 °C:		1,25	
	Dynamic viscosity at 20 °C:		Non-applicable *	
	Kinematic viscosity at 20 °C:		Non-applicable *	
	Kinematic viscosity at 40 °C:		Non-applicable *	
	Concentration:		Non-applicable *	
	pH:		9,8	
	Vapour density at 20 °C:		Non-applicable *	
	Partition coefficient n-octanol/water 20 °C	C:	Non-applicable *	
	Solubility in water at 20 °C:		Non-applicable *	
	Solubility properties:		Non-applicable *	
	Decomposition temperature:		Non-applicable *	
	Melting point/freezing point:		Non-applicable *	
	Flammability:			
	Flash Point:		Non Flammable (>60 °C)	
	Flammability (solid, gas):		Non-applicable *	
	Autoignition temperature:		Non-applicable *	
	Lower flammability limit:		Non-applicable *	
	Upper flammability limit:		Non-applicable *	
	Particle characteristics:			
	Median equivalent diameter:		Non-applicable	
9.2	Other information:			
	Information with regard to physical	hazard class	ses:	
	Explosive properties:		Non-applicable *	
	Oxidising properties:		Non-applicable *	
	Corrosive to metals:		Non-applicable *	
	Heat of combustion:		Non-applicable *	
	Aerosols-total percentage (by mass) of fla components:	ammable	Non-applicable *	
	Other safety characteristics:			
	Surface tension at 20 °C:		Non-applicable *	
	Refraction index:		Non-applicable *	

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable Not applicable		Not applicable	Not applicable	Not applicable



SECTION 10: STABILITY AND REACTIVITY (continued)

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: Carbon black (2B)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3

^{**} Changes with regards to the previous version





SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

נוווא פוופננ. רטו וווטר ווווטוווומנוטוו אפפ אפננוטון א.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Genus	
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat
EC: 220-239-6	LC50 inhalation	0,5 mg/L (ATEi)	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohols, C16-18 and C18-unsatd., ethoxylated	LC50	>10 - 100 (96 h)		Fish
CAS: 68920-66-1	EC50	>10 - 100 (48 h)		Crustacean
EC: 500-236-9	EC50	>10 - 100 (72 h)		Algae
2-methylisothiazol-3(2H)-one	LC50	4,77 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2682-20-4		0,934 mg/L (48 h)	Daphnia magna	Crustacean
EC: 220-239-6	EC50	Non-applicable		

** Changes with regards to the previous version





SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Concentration		Species	Genus
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Alcohols, C16-18 and C18-unsatd., ethoxylated	NOEC	0,16 mg/L	Pimephales promelas	Fish
CAS: 68920-66-1 EC: 500-236-9	NOEC	0,77 mg/L	Daphnia magna	Crustacean
2-methylisothiazol-3(2H)-one	NOEC	4,93 mg/L	Oncorhynchus mykiss	Fish
CAS: 2682-20-4 EC: 220-239-6	NOEC	0,044 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Identification	D	egradability	Biodegradability	
Alcohols, C16-18 and C18-unsatd., ethoxylated	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 68920-66-1	COD	Non-applicable	Period	28 days
EC: 500-236-9	BOD5/COD	Non-applicable	% Biodegradable	99 %
2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 2682-20-4	COD	Non-applicable	Period	28 days
EC: 220-239-6	BOD5/COD	Non-applicable	% Biodegradable	55,8 %
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %
Plana and a the second sector				

12.3 Bioaccumulative potential:

Identification		Bi	Bioaccumulation potential	
2-methylisothiazol-3(2H)-one		BCF		
CAS: 2682-20-4		Pow Log	-0.49	
EC: 220-239-6		Potential		
1,2-benzisothiazol-3(2H)-one		BCF	2	
CAS: 2634-33-5		Pow Log	1.45	
EC: 220-120-9		Potential	Low	

** Changes with regards to the previous version



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Absorp	Absorption/desorption		Volatility		
Alcohols, C16-18 and C18-unsatd., ethoxylated	Кос	31600	Henry	Non-applicable		
CAS: 68920-66-1	Conclusion	Immobile	Dry soil	Non-applicable		
EC: 500-236-9	Surface tension	Non-applicable	Moist soil	Non-applicable		
2-methylisothiazol-3(2H)-one	Кос	Non-applicable	Henry	0E+0 Pa·m ³ /mol		
CAS: 2682-20-4	Conclusion	Non-applicable	Dry soil	Non-applicable		
EC: 220-239-6	Surface tension	Non-applicable	Moist soil	Non-applicable		
5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria						
					Endocrine disrupting properties:	
Endocrine-disrupting properties: The product fails to meet the criteria.						
7 Other adverse effects:	Other adverse effects:					
Not described						

** Changes with regards to the previous version



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

C	Code	Description	Waste class (Regulation (EU) No 1357/2014)
08	08 01 11* waste paint and varnish containing organic solvents or other hazardous substances		Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION



SECTION 14: TRANSPORT INFORMATION (continued)

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 2-methylisothiazol-3(2H)-one (Product-type 6, 11, 12, 13) ; 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

—tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Version: 4 (Replaced 3)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



SECTION 16: OTHER INFORMATION ** (continued) COMMISSION REGULATION (EU) 2020/878 COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): New declared substances 1,2-benzisothiazol-3(2H)-one (2634-33-5) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) 2-methylisothiazol-3(2H)-one (2682-20-4) · Removed substances 2-methylpentane-2,4-diol (107-41-5) Ethanediol (107-21-1) Sodium C12-15 pareth-6 carboxylate (70632-06-3) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Hazard statements · Precautionary statements Supplementary information Texts of the legislative phrases mentioned in section 2: H412: Harmful to aquatic life with long lasting effects. H317: May cause an allergic skin reaction. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. **Classification procedure:** Aquatic Chronic 3: Calculation method Skin Sens. 1A: Calculation method Advice related to training: Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

** Changes with regards to the previous version





071200 - TINTE CONCENTRADO UNIVERSAL NEGRO



The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -